



Dhelda Mfanga, Yukie Tanino, Amer Syed School of Engineering, University of Aberdeen

Problem


Fluid filled rocks are one of the most common features of earth systems notably, ground water and oil and gas reservoirs. Presence of fluids modify the mechanical behaviour of rocks and the current knowledge is limited to rock filled with Newtonian fluid (water). This project investigates the behaviour of rock filled with viscoelastic non-Newtonian fluids.

Basic Concepts

Deborah number

$$De = rac{\lambda}{t_{exp}}$$

Maxwell model



In simplest 3D form:

$$\tau + \lambda \dot{\tau} = 2\mu \mathbf{D}$$

- \bullet $\dot{\tau}$ is time derivative of stress tensor
- D is tensor for rate of strain defined as $\mathbf{D} = \frac{1}{2} \left(\nabla \mathbf{v} + \nabla \mathbf{v}^T \right)$

2 \

Material and method

- Sodium bentonite powder mixed with deionized water to get 6.4~% wt and 7.5~% wt.
- Mixture cured for 16hrs under room temperature
- Experiments performed using Rotational DHRheometer(TA Instrument)
 - Steady shear test
 - Oscillatory test

References

- [1] Astarita, G. and Marrucci, G. Principles of Non-Newtonian Fluid Mechanics, McGrawHill Book Company (UK) Limited, 1974
- [2] Guillopé, C. and Saut, J-C, Existence results for the flow of viscoelastic fluids with a differential constitutive law, Nonlinear Analysis, Theory, Methods and Applications, 15 (1990), 849-869
- [3] Barnes, HA, The yield stress- a review of $\pi\alpha\nu\tau\alpha$ $\rho\epsilon\iota$ everything flows?, J. Non-Newtonian Fluid Mech., 81 (1999), pp. 133-178.

Acknowledgements

This research is supported by EU-Tanzania capacity building project funded by the European Commission. The support are gratefully acknowledged.

Viscosity: Effect of applied shear stress and temperature

In steady shear experiment three phases observed: a Newtonian plateau, shear thinning and shear thickening.




Figure 1: Effect of applied shear stress




Figure 2: Effect of temperature

Viscoelasticity: Effect of temperature and frequency




Figure 3: Effect of temparature at T=20 and T=80C




Figure 4: Effect of frequency

Conclusion

The viscosity of the tested drilling fluid is a temperature dependent with an increase of apparent viscosity as temperature increase for both concentrations. In the LVR (≤ 0.001 rad at T= 20°C) sample show solid-like response. Higher temperatures gives nonlinear viscoelastic effect. G' show less dependent on frequency while G'' shows highly dependent on frequency.